

#### **VOLTCRAFT - RELIABLE AND PRECISE. SINCE 1982.**

For more than 40 years, our product range has been dynamically adapting to the constant changes in the industry. We commit to offering first-class quality to our customers while delivering an excellent cost-performance ratio. This philosophy remains the cornerstone of Voltcraft's success.

# $\epsilon$

## **ALKALINE BATTERY**


Item No.:	Pcs per pack	
3221603	5	
2521373	10	

### **TECHNICAL DATA**

Type:	LR44 (AG13)	
Classification:	Non-rechargeable	
Chemical system:	Zn/KOH-H <sub>2</sub> O/MnO <sub>2</sub>	
Nominal voltage:	1.5 V	
Weight (approx.)	1.75 g	
Capacity:	Item No.: 3221603 100 mAh Item No.: 2521373 140 mAh	
Loading:	6.8 kΩ (20 ±2 °C)	
Cut-off voltage:	1.2 V	
Operating conditions:	-18 to +50 °C +10 to +35 °C (recommended)	
Storage conditions:	+10 to +25 °C (max. 30 °C), <60 % RH	
Heavy metals:	No added mercury (Hg), Cadmium (Cd), or Lead (Pb)	
Compliant to:	(EU) 2023/1542	

For performance and safety, observe the operating / storage conditions. Capacity varies depending on the applied load, temperature, and cut-off voltage.

### **DIMENSIONS (mm)**



Dimension	Min.	Max.
Ø	11.25	11.60
Н	5.00	5.40



This is a publication by Conrad Electronic SE, Klaus-Conrad-Str. 1, D-92240 Hirschau (www.conrad.com). All rights including translation reserved. Reproduction by any method, e.g. photocopy, microfilming, or the capture in electronic data processing systems require the prior written approval by the editor. Reprinting, also in part, is prohibited. This publication represents the technical status at the time of printing.