LITHIUM CELL TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3
OF MANUAL OF TESTS AND CRITERIA

N/A = Not Applicable

1. Name/Description of cell
Lithiumakku 3,7 V 5000 mAh, Voltcraft Nr. 3313978

2. Manufacturer of cell	
Name	CEI Conrad Electronic International (HK) Limited
Address	Unit 3901, 39th Flr, Tower 1, Metroplaza, No. 223 Hing Fong Road, Kwai Chung
Phone	(852) 2559 6328
Email	hindratno.setiadharma@cei-hk.com
Website	www.voltcraft.de

2a. Manufacturer of the equipment (if the cell is contained in equipment)	
Name	
Address	
Phone	
Email	
Website	

3. Test laboratory of cell	
Name	Shenzhen TCT Testing Technology Co., Ltd.
Address	2101 & 2201, Zhenchang Factory, Renshan Ind. Zone, Fuhai Subdistrict, Bao'an, S
Phone	86-755-27673339
Email	tom@tct-lab.com
Website	http://www.tct-lab.com

4. ID-number and date			
Unique test report identification number	TCT221220B104	Date of test report	04.01.2023

DESCRIPTION OF CELL

5. Mark the type of cell with an "•"			
(•)	Lithium ion cell	Lithium metal cell	( )

© This form was provided by www.lithium-battery-service.com

LITHIUM BATTERY SERVICE

LITHIUM CELL TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3
OF MANUAL OF TESTS AND CRITERIA

Name/Description of cell (taken from field 1)
Lithiumakku 3,7 V 5000 mAh, Volt

6. Parameters	Cell
Mass in gram (g):	89
Lithium ion: Indicate watt-hour rating (Wh):	18.5
Lithium metal: Indicate lithium metal content in gram (g):	

7. Physical description of cell
Cylindrical

8. Model numbers
VC-26650

TESTS AND RESULTS

9. List of tests conducted and results - Mark N/A, pass or fail with an " "	N/A	pass	fail
T1 - Altitude simulation	○	●	○
T2 - Thermal Test	○	●	○
T3 - Vibration	○	●	○
T4 - Shock	○	●	○
T5 - External Short Circuit	○	●	○
T6 - Impact - for cylindrical cells having a diameter of at least 18 mm	○	●	○
T6 - Crush - for prismatic cells, pouch cells, button cells and cylindrical cells having a diameter of less than 18 mm	●	○	○
T7 - Overcharge	●	○	○
T8 - Forced Discharge	○	●	○
	○	○	○
	○	○	○

10. Reference to the revised edition of the Manual of Tests and Criteria used and to amendments thereto
UN "Manual of Tests and Criteria" ST/SG/AC.10/11/Rev.7/Amend.1/Subsection 38.3

© This form was provided by www.lithium-battery-service.com

LITHIUM BATTERY SERVICE

LITHIUM CELL TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3
OF MANUAL OF TESTS AND CRITERIA

Name/Description of cell (taken from field 1)
Lithiumakku 3,7 V 5000 mAh, Volt

ADDITIONAL SUPPLIER INQUIRY

11. Quality management system for manufacturing cells Does the manufacturer of the cell/battery manufacture the products based on a documented quality management system according to transport regulations?	● YES	○ NO

12. Are the following parameters exceeded? Lithium ion cell: more than 20 Wh Lithium metal cell: more than 1 g Lithium	○ YES	● NO

Check point 13 – 15 need to be answered when 12 has been ticked "YES":			
13. Does each cell incorporates a safety venting device or is designed to preclude a violent rupture under normal conditions of carriage?	○ YES	○ NO	
14. Is each cell equipped with an effective means of preventing external short circuits?	○ YES	○ NO	
15. Is each battery containing cells or series of cells connected in parallel equipped with effective means as necessary to prevent dangerous reverse current flow (e.g. diodes, fuses, etc.)	Not relevant for cells		○ N/A

16. Only in air transport: State of Charge (SoC) for UN 3480 Lithium ion cells and lithium polymer cells					
State of Charge (SoC) max. 30 %	● N/A	○ YES	○ NO		

CELLS INSTALLED IN EQUIPMENT

17. Check point 17 needs to be answered when the cells are installed in articles:			
17.a) Only button cells enclosed?	○ YES	○ NO	
17.b) Number of enclosed cells (other than button cells) per equipment			
When the equipment is intentionally active/switched on during transport e.g. data loggers:			
17.c) Confirmation that no dangerous amount of heat is emitted from the equipment	○ N/A	○ YES	○ NO
17.d) Confirmation that the equipment when transported by air fulfills the defined air transport standards for electromagnetic radiation according to DO-160	○ N/A	○ YES	○ NO

18. Place, Date	19. Title, Surname, First name	20. Company stamp and signature
Hong Kong 13 March 2026	QA Manager, Setidharma, Hindratno	

© This form was provided by www.lithium-battery-service.com

LITHIUM BATTERY SERVICE