










ALIGNMENT TOLERANCES FOR .100 MAX. BOARD-TO-BOARD MISALIGNMENT
(NO CONNECTOR FLOAT)




P.C. BOARD-TO-P.C. BOARD APPLICATION #4



PANEL-TO-P.C. BOARD APPLICATION #1



PANEL-TO-P.C. BOARD APPLICATION #2



PANEL-TO-P.C. BOARD APPLICATION #3

SEE NOTE 15

SEE SHEET 1	EC NO: UCP2012-3941 2012/06/20 DRAWN: NGUYEN CHKD: J.BELL 2012/06/25 APPR: F.S.MITH	REV	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE		SCALE	DESIGN UNITS	 THIRD ANGLE PROJECTION
								IN/MM		4:1	METRIC	
						mm	INCH	DRAWN BY	DATE	TITLE		
					4 PLACES	± ---	± ---	GEP	1994/08/10	VERT HEADER RECEPT ASSY		
					3 PLACES	± ---	± .010	CHECKED BY	DATE	BLIND MATE		
					2 PLACES	± 0.25	± .015	RJF	1994/08/10	MINI-FIT HCS SERIES		
					1 PLACE	± 0.38	± ---	APPROVED BY	DATE	MOLEX MOLEX INCORPORATED		
					ANGULAR ± 5 °			FSMITH	2011/10/11			
								MATERIAL NO.		DOCUMENT NO.		SHEET NO.
					DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE SHEET 3		SDA-44475-****		2 OF 3
								SIZE	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

13		12		11		10		9		8		7		6		5		4		3		2		1																																																																																																																																																																						
ITEM NUMBER		CKT. SIZE	HOUSING MATERIAL	PLATING (SEE NOTE 2)		ITEM NUMBER		CKT. SIZE	HOUSING MATERIAL	PLATING (SEE NOTE 2)																																																																																																																																																																																				
J	X	44475-0211	2	94V-2	I	X	44475-0222	2	94V-0	2																																																																																																																																																																																				
		↑ -0411	4	↑	↑	X	↑ -0422	4	↑	↑																																																																																																																																																																																				
		-0611	6			X	-0622	6																																																																																																																																																																																						
I	X	-0811	8			X	-0822	8																																																																																																																																																																																						
		-1011	10			X	-1022	10																																																																																																																																																																																						
	X	-1211	12			X	-1222	12																																																																																																																																																																																						
H		-1411	14			X	-1422	14																																																																																																																																																																																						
	X	-1611	16			X	-1622	16																																																																																																																																																																																						
		-1811	18				-1822	18																																																																																																																																																																																						
G	X	-2011	20			X	-2022	20																																																																																																																																																																																						
	X	↓ -2211	22	↓	↓	X	↓ -2222	22	↓	↓																																																																																																																																																																																				
		44475-2411	24	94V-2	I	X	44475-2422	24	94V-0	2																																																																																																																																																																																				
F	X	44475-0221	2	94V-0	I																																																																																																																																																																																									
		↑ -0421	4	↑	↑																																																																																																																																																																																									
		-0621	6																																																																																																																																																																																											
E	X	-0821	8																																																																																																																																																																																											
		-1021	10																																																																																																																																																																																											
	X	-1221	12																																																																																																																																																																																											
D		-1421	14																																																																																																																																																																																											
		-1621	16																																																																																																																																																																																											
		-1821	18																																																																																																																																																																																											
C	X	-2021	20																																																																																																																																																																																											
	X	↓ -2221	22	↓	↓																																																																																																																																																																																									
		44475-2421	24	94V-0	I																																																																																																																																																																																									
<table><tr><th rowspan="2">ITEM. NO.</th><th rowspan="2">CKT. SIZE</th><th rowspan="2">HSG. MAT'L.</th><th colspan="24">TERMINAL PLATING REQUIRED AT EACH CIRCUIT LOCATION:</th></tr><tr><th>1</th><th>2</th><th>3</th><th>4</th><th>5</th><th>6</th><th>7</th><th>8</th><th>9</th><th>10</th><th>11</th><th>12</th><th>13</th><th>14</th><th>15</th><th>16</th><th>17</th><th>18</th><th>19</th><th>20</th><th>21</th><th>22</th><th>23</th><th>24</th></tr><tr><td>44475-3000</td><td>24</td><td>94V-0</td><td>1</td><td>1</td><td>-</td><td>1</td><td>-</td><td>1</td><td>-</td><td>1</td><td>-</td><td>1</td><td>1</td><td>1</td><td>1</td><td>-</td><td>1</td><td>-</td><td>1</td><td>-</td><td>1</td><td>-</td><td>1</td><td>1</td><td>1</td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>																												ITEM. NO.	CKT. SIZE	HSG. MAT'L.	TERMINAL PLATING REQUIRED AT EACH CIRCUIT LOCATION:																								1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	44475-3000	24	94V-0	1	1	-	1	-	1	-	1	-	1	1	1	1	-	1	-	1	-	1	-	1	1	1																																																																																						
ITEM. NO.	CKT. SIZE	HSG. MAT'L.	TERMINAL PLATING REQUIRED AT EACH CIRCUIT LOCATION:																																																																																																																																																																																											
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24																																																																																																																																																																				
44475-3000	24	94V-0	1	1	-	1	-	1	-	1	-	1	1	1	1	-	1	-	1	-	1	-	1	1	1																																																																																																																																																																					
<table><tr><td rowspan="4">SEE SHEET 1 EC NO: UCP2012-3941 2012/06/20 DRAWN: NGUYEN 2012/06/20 CHKD: J.BELL 2012/06/25 APPR: FSMITH</td><td rowspan="4">QUALITY SYMBOLS ▽=0 ▽=0 ▽=0</td><td colspan="4">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="4">DIMENSION STYLE IN/MM</td><td colspan="2">SCALE 1:1</td><td colspan="2">DESIGN UNITS METRIC</td><td colspan="2" rowspan="2">THIRD ANGLE PROJECTION</td><td colspan="8" rowspan="2">TITLE VERT HEADER RECEPT ASSY BLIND MATE MINI-FIT HCS SERIES MOLEX INCORPORATED</td></tr><tr><td colspan="2">mm</td><td colspan="2">INCH</td><td colspan="2">DRAWN BY GEP</td><td colspan="2">DATE 1994/08/10</td></tr><tr><td colspan="4">4 PLACES ± --- ± ---</td><td colspan="4">CHECKED BY RJF</td><td colspan="2">DATE 1994/08/10</td><td colspan="2" rowspan="2">APPROVED BY FSMITH</td><td colspan="2" rowspan="2">DATE 2011/10/11</td><td colspan="2" rowspan="2">DOCUMENT NO. SDA-44475-****</td><td colspan="2" rowspan="2">SHEET NO. 3 OF 3</td></tr><tr><td colspan="4">3 PLACES ± --- ± .010</td><td colspan="4">2 PLACES ± 0.25 ± .015</td><td colspan="4">1 PLACE ± 0.38 ± ---</td></tr><tr><td colspan="4">ANGULAR ± 5 °</td><td colspan="4">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="4">SEE CHART</td><td colspan="8">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>																												SEE SHEET 1 EC NO: UCP2012-3941 2012/06/20 DRAWN: NGUYEN 2012/06/20 CHKD: J.BELL 2012/06/25 APPR: FSMITH	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)				DIMENSION STYLE IN/MM				SCALE 1:1		DESIGN UNITS METRIC		THIRD ANGLE PROJECTION		TITLE VERT HEADER RECEPT ASSY BLIND MATE MINI-FIT HCS SERIES MOLEX INCORPORATED								mm		INCH		DRAWN BY GEP		DATE 1994/08/10		4 PLACES ± --- ± ---				CHECKED BY RJF				DATE 1994/08/10		APPROVED BY FSMITH		DATE 2011/10/11		DOCUMENT NO. SDA-44475-****		SHEET NO. 3 OF 3		3 PLACES ± --- ± .010				2 PLACES ± 0.25 ± .015				1 PLACE ± 0.38 ± ---				ANGULAR ± 5 °				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SEE CHART				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																								
SEE SHEET 1 EC NO: UCP2012-3941 2012/06/20 DRAWN: NGUYEN 2012/06/20 CHKD: J.BELL 2012/06/25 APPR: FSMITH	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)				DIMENSION STYLE IN/MM				SCALE 1:1		DESIGN UNITS METRIC		THIRD ANGLE PROJECTION		TITLE VERT HEADER RECEPT ASSY BLIND MATE MINI-FIT HCS SERIES MOLEX INCORPORATED																																																																																																																																																																														
		mm		INCH		DRAWN BY GEP		DATE 1994/08/10																																																																																																																																																																																						
		4 PLACES ± --- ± ---				CHECKED BY RJF				DATE 1994/08/10		APPROVED BY FSMITH		DATE 2011/10/11		DOCUMENT NO. SDA-44475-****		SHEET NO. 3 OF 3																																																																																																																																																																												
		3 PLACES ± --- ± .010				2 PLACES ± 0.25 ± .015				1 PLACE ± 0.38 ± ---																																																																																																																																																																																				
ANGULAR ± 5 °				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SEE CHART				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																																																																		
1b_frame_C_P_AM_T Rev. F 2009/06/18		12	11	10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																	