

13 12 11 10 9 8 7 6 5 4 3 2 1

J

I

H

G

F


E

D

C

B

A



NOTES:

- HOUSING MATERIAL:
 - NYLON 6/6, U.L. 94V-2, COLOR: NATURAL.
 - NYLON 6/6, U.L. 94V-0, COLOR: NATURAL.
 - NYLON 6/6, U.L. 94V-2, COLOR: DYED BLACK.
- TERMINAL MATERIAL: OLIN ALLOY C197
- PART MATES WITH MIN.I-FIT JR. RECEPTACLE NO. 5557.
- PART IS DESIGNED IN METRIC.
- TERMINAL PLATING:
 - BRIGHT TIN 100 M.I. MIN. OVER 50 M.I. MIN. NICKEL
 - SELECTIVE GOLD 30 M.I. MIN. WITH SELECT BRIGHT TIN 100 M.I. MIN. OVER 50 M.I. MIN. NICKEL OVERALL.
- THE PRIMARY SHIPPING CARTON WILL BE LABELED "COMPLIANT TO RoHS DIRECTIVE 2002/95/EC AND ELV ANNEX II OF DIRECTIVE 2000/53/EC". CARTONS WITHOUT THIS LABEL MAY CONTAIN PRODUCT WITH TIN-LEAD PLATING.

- PRODUCT SPECIFICATION AND PROCESSING PARAMETERS SEE: PSX-44476-0001.
- PARTS ARE NOT TO BE MATED OR UNMATED WHILE CIRCUITS ARE LIVE.
- 44472-2470 ONLY FOR WIDER LOCKING RAMP
- SEE THE CHART FOR PACKAGING REQUIREMENTS.

- PARTS PRODUCED AFTER JULY 1, 2004 WILL HAVE "HCS" MARKING INSTEAD OF BLACK STRIPE.

- SEE CHART FOR PARTS WITH PEGS REMOVED

- SEE CHART FOR PARTS WITH PEGS REMOVED

- SEE CHART FOR PARTS WITH PEGS REMOVED

- SEE CHART FOR PARTS WITH PEGS REMOVED

- SEE CHART FOR PARTS WITH PEGS REMOVED

- SEE CHART FOR PARTS WITH PEGS REMOVED

- SEE CHART FOR PARTS WITH PEGS REMOVED

- SEE CHART FOR PARTS WITH PEGS REMOVED

- SEE CHART FOR PARTS WITH PEGS REMOVED

- SEE CHART FOR PARTS WITH PEGS REMOVED

- SEE CHART FOR PARTS WITH PEGS REMOVED

- SEE CHART FOR PARTS WITH PEGS REMOVED

- SEE CHART FOR PARTS WITH PEGS REMOVED

- SEE CHART FOR PARTS WITH PEGS REMOVED

- SEE CHART FOR PARTS WITH PEGS REMOVED

- SEE CHART FOR PARTS WITH PEGS REMOVED

- SEE CHART FOR PARTS WITH PEGS REMOVED

- SEE CHART FOR PARTS WITH PEGS REMOVED

- SEE CHART FOR PARTS WITH PEGS REMOVED

- SEE CHART FOR PARTS WITH PEGS REMOVED

- SEE CHART FOR PARTS WITH PEGS REMOVED

CKT SIZE	DIM A	DIM B
4	.496 (12.60)	.709 (18.00)
5	.661 (16.80)	.874 (22.20)
6	.827 (21.00)	1.039 (26.40)
7	.992 (25.20)	1.205 (30.60)
8	1.157 (29.40)	1.370 (34.80)
9	1.323 (33.60)	1.535 (39.00)
10	1.488 (37.80)	1.701 (43.20)
11	1.654 (42.00)	1.866 (47.40)
12	1.819 (46.20)	2.031 (51.60)

J

I

H

G

F

E

D

C

B

A

LEGEND:
44472 - ** **
CIRCUIT SIZE
(04-12 FOR SINGLE ROW)
(02-24 FOR DUAL ROW)
ASSEMBLY VERSION
(01 THRU 49 FOR SINGLE ROW)
(50 THRU 99 FOR DUAL ROW)

SEE SHT. 2 FOR DUAL ROW

* THE CHART FOR SINGLE ROW PRODUCT IS ON PAGE 7

ADD TOLERANCES EC NO: UCP2005-2446 DRW: STEWART 2005/05/05 CHKD: GPOLGAR 2005/05/11 APPR: YMARULLI 2005/05/16	DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mmINCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± .015 2 PLACES ± 0.38 ± .020 1 PLACE ± 0.50 ± --- ANGULAR ± 1/2° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DIMENSION STYLE IN/MM		SCALE 4:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION	TITLE MINI-FIT VERT HDR ASSY W & W/O PEGS/DRAIN HOLES SINGLE AND DUAL ROW MOLEX MOLEX INCORPORATED	
				DRAWN BY DATE GEP 1994/07/25		MATERIAL NO.				
				CHECKED BY DATE RJF 1994/07/25		DOCUMENT NO.				
				APPROVED BY DATE RJF 1994/07/25		SHEET NO.				
				SEE CHART		SDA-44472-**** 1 OF 8				
H3	REV	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								

	13		12		11		10		9		8		7		6		5		4		3		2		1				
J	PLATING: I (SEE NOTE 5)		PLATING: I (SEE NOTE 5)		PLATING: I (SEE NOTE 5)		PLATING: I (SEE NOTE 5)		PLATING: I (SEE NOTE 5)		PLATING: I (SEE NOTE 5)		PLATING: I (SEE NOTE 5)		PLATING: I (SEE NOTE 5)		PLATING: I (SEE NOTE 5)		PLATING: I (SEE NOTE 5)		PLATING: I (SEE NOTE 5)		PLATING: I (SEE NOTE 5)		PLATING: I (SEE NOTE 5)		J		
	DRAINS: WITHOUT DRAIN HOLES		DRAINS: WITHOUT DRAIN HOLES		DRAINS: WITHOUT DRAIN HOLES		DRAINS: WITHOUT DRAIN HOLES		DRAINS: WITHOUT DRAIN HOLES		DRAINS: WITHOUT DRAIN HOLES		DRAINS: WITHOUT DRAIN HOLES		DRAINS: WITHOUT DRAIN HOLES		DRAINS: WITHOUT DRAIN HOLES		DRAINS: WITHOUT DRAIN HOLES		DRAINS: WITHOUT DRAIN HOLES		DRAINS: WITHOUT DRAIN HOLES		DRAINS: WITHOUT DRAIN HOLES				
	PEGS: WITH PEGS		PEGS: WITH PEGS		PEGS: WITH PEGS		PEGS: WITH PEGS		PEGS: WITH PEGS		PEGS: WITH PEGS		PEGS: WITH PEGS		PEGS: WITH PEGS		PEGS: WITH PEGS		PEGS: WITH PEGS		PEGS: WITH PEGS		PEGS: WITH PEGS		PEGS: WITH PEGS				
	MAT'L: 94V-2 [NATURAL]		MAT'L: 94V-2 [NATURAL]		MAT'L: 94V-2 [NATURAL]		MAT'L: 94V-2 [NATURAL]		MAT'L: 94V-2 [NATURAL]		MAT'L: 94V-2 [NATURAL]		MAT'L: 94V-2 [NATURAL]		MAT'L: 94V-2 [NATURAL]		MAT'L: 94V-2 [NATURAL]		MAT'L: 94V-2 [NATURAL]		MAT'L: 94V-2 [NATURAL]		MAT'L: 94V-2 [NATURAL]		MAT'L: 94V-2 [NATURAL]				
	PACKAGING: PK-44472-001		PACKAGING: PK-44472-001		PACKAGING: PK-44472-001		PACKAGING: PK-44472-001		PACKAGING: PK-44472-001		PACKAGING: PK-44472-001		PACKAGING: PK-44472-001		PACKAGING: PK-44472-001		PACKAGING: PK-44472-001		PACKAGING: PK-44472-001		PACKAGING: PK-44472-001		PACKAGING: PK-44472-001		PACKAGING: PK-44472-001				
I	ITEM NO.		ITEM NO.		ITEM NO.		ITEM NO.		ITEM NO.		ITEM NO.		ITEM NO.		ITEM NO.		ITEM NO.		ITEM NO.		ITEM NO.		ITEM NO.		ITEM NO.		ITEM NO.		I
	44472-0250		44472-0250		44472-0250		44472-0250		44472-0250		44472-0250		44472-0250		44472-0250		44472-0250		44472-0250		44472-0250		44472-0250		44472-0250				
	44472-0450		44472-0450		44472-0450		44472-0450		44472-0450		44472-0450		44472-0450		44472-0450		44472-0450		44472-0450		44472-0450		44472-0450		44472-0450				
	44472-0650		44472-0650		44472-0650		44472-0650		44472-0650		44472-0650		44472-0650		44472-0650		44472-0650		44472-0650		44472-0650		44472-0650		44472-0650				
	44472-0850		44472-0850		44472-0850		44472-0850		44472-0850		44472-0850		44472-0850		44472-0850		44472-0850		44472-0850		44472-0850		44472-0850		44472-0850				
	44472-1050		44472-1050		44472-1050		44472-1050		44472-1050		44472-1050		44472-1050		44472-1050		44472-1050		44472-1050		44472-1050		44472-1050		44472-1050				
	44472-1250		44472-1250		44472-1250		44472-1250		44472-1250		44472-1250		44472-1250		44472-1250		44472-1250		44472-1250		44472-1250		44472-1250		44472-1250				
	44472-1450		44472-1450		44472-1450		44472-1450		44472-1450		44472-1450		44472-1450		44472-1450		44472-1450		44472-1450		44472-1450		44472-1450		44472-1450				
	44472-1650		44472-1650		44472-1650		44472-1650		44472-1650		44472-1650		44472-1650		44472-1650		44472-1650		44472-1650		44472-1650		44472-1650		44472-1650				
	44472-1850		44472-1850		44472-1850		44472-1850		44472-1850		44472-1850		44472-1850		44472-1850		44472-1850		44472-1850		44472-1850		44472-1850		44472-1850				
	44472-2050		44472-2050		44472-2050		44472-2050		44472-2050		44472-2050		44472-2050		44472-2050		44472-2050		44472-2050		44472-2050		44472-2050		44472-2050				
	44472-2250		44472-2250		44472-2250		44472-2250		44472-2250		44472-2250		44472-2250		44472-2250		44472-2250		44472-2250		44472-2250		44472-2250		44472-2250				
	44472-2450		44472-2450		44472-2450		44472-2450		44472-2450		44472-2450		44472-2450		44472-2450		44472-2450		44472-2450		44472-2450		44472-2450		44472-2450				
G	PLATING: I (SEE NOTE 5)		PLATING: I (SEE NOTE 5)		PLATING: I (SEE NOTE 5)		PLATING: I (SEE NOTE 5)		PLATING: I (SEE NOTE 5)		PLATING: I (SEE NOTE 5)		PLATING: I (SEE NOTE 5)		PLATING: I (SEE NOTE 5)		PLATING: I (SEE NOTE 5)		PLATING: I (SEE NOTE 5)		PLATING: I (SEE NOTE 5)		PLATING: I (SEE NOTE 5)		PLATING: I (SEE NOTE 5)		G		
	DRAINS: WITHOUT DRAIN HOLES		DRAINS: WITHOUT DRAIN HOLES		DRAINS: WITHOUT DRAIN HOLES		DRAINS: WITHOUT DRAIN HOLES		DRAINS: WITHOUT DRAIN HOLES		DRAINS: WITHOUT DRAIN HOLES		DRAINS: WITHOUT DRAIN HOLES		DRAINS: WITHOUT DRAIN HOLES		DRAINS: WITHOUT DRAIN HOLES		DRAINS: WITHOUT DRAIN HOLES		DRAINS: WITHOUT DRAIN HOLES		DRAINS: WITHOUT DRAIN HOLES		DRAINS: WITHOUT DRAIN HOLES				
	PEGS: WITHOUT PEGS		PEGS: WITHOUT PEGS		PEGS: WITHOUT PEGS		PEGS: WITHOUT PEGS		PEGS: WITHOUT PEGS		PEGS: WITHOUT PEGS		PEGS: WITHOUT PEGS		PEGS: WITHOUT PEGS		PEGS: WITHOUT PEGS		PEGS: WITHOUT PEGS		PEGS: WITHOUT PEGS		PEGS: WITHOUT PEGS		PEGS: WITHOUT PEGS				
	MAT'L: 94V-2 [NATURAL]		MAT'L: 94V-2 [NATURAL]		MAT'L: 94V-2 [NATURAL]		MAT'L: 94V-2 [NATURAL]		MAT'L: 94V-2 [NATURAL]		MAT'L: 94V-2 [NATURAL]		MAT'L: 94V-2 [NATURAL]		MAT'L: 94V-2 [NATURAL]		MAT'L: 94V-2 [NATURAL]		MAT'L: 94V-2 [NATURAL]		MAT'L: 94V-2 [NATURAL]		MAT'L: 94V-2 [NATURAL]		MAT'L: 94V-2 [NATURAL]				
	PACKAGING: PK-44472-001		PACKAGING: PK-44472-001		PACKAGING: PK-44472-001		PACKAGING: PK-44472-001		PACKAGING: PK-44472-001		PACKAGING: PK-44472-001		PACKAGING: PK-44472-001		PACKAGING: PK-44472-001		PACKAGING: PK-44472-001		PACKAGING: PK-44472-001		PACKAGING: PK-44472-001		PACKAGING: PK-44472-001		PACKAGING: PK-44472-001				
F	ITEM NO.		ITEM NO.		ITEM NO.		ITEM NO.		ITEM NO.		ITEM NO.		ITEM NO.		ITEM NO.		ITEM NO.		ITEM NO.		ITEM NO.		ITEM NO.		ITEM NO.		ITEM NO.		F
	44472-0254		44472-0254		44472-0254		44472-0254		44472-0254		44472-0254		44472-0254		44472-0254		44472-0254		44472-0254		44472-0254		44472-0254		44472-0254				
	44472-0454		44472-0454		44472-0454		44472-0454		44472-0454		44472-0454		44472-0454		44472-0454		44472-0454		44472-0454		44472-0454		44472-0454		44472-0454				
	44472-0654		44472-0654		44472-0654		44472-0654		44472-0654		44472-0654		44472-0654		44472-0654		44472-0654		44472-0654		44472-0654		44472-0654		44472-0654				
	44472-0854		44472-0854		44472-0854		44472-0854		44472-0854		44472-0854		44472-0854		44472-0854		44472-0854		44472-0854		44472-0854		44472-0854		44472-0854				
	44472-1054		44472-1054		44472-1054		44472-1054		44472-1054		44472-1054		44472-1054		44472-1054		44472-1054		44472-1054		44472-1054		44472-1054		44472-1054				
	44472-1254		44472-1254		44472-1254		44472-1254		44472-1254		44472-1254		44472-1254		44472-1254		44472-1254		44472-1254		44472-1254		44472-1254		44472-1254				
	44472-1454		44472-1454		44472-1454		44472-1454		44472-1454		44472-1454		44472-1454		44472-1454		44472-1454		44472-1454		44472-1454		44472-1454		44472-1454				
	44472-1654		44472-1654		44472-1654		44472-1654		44472-1654		44472-1654		44472-1654		44472-1654		44472-1654		44472-1654		44472-1654		44472-1654		44472-1654				
	44472-1854		44472-1854		44472-1854		44472-1854		44472-1854		44472-1854		44472-1854		44472-1854		44472-1854		44472-1854		44472-1854		44472-1854		44472-1854				
	44472-2054		44472-2054		44472-2054		44472-2054		44472-2054		44472-2054		44472-2054		44472-2054		44472-2054		44472-2054		44472-2054		44472-2054		44472-2054				
	44472-2254		44472-2254		44472-2254		44472-2254		44472-2254		44472-2254		44472-2254		44472-2254		44472-2254		44472-2254		44472-2254		44472-2254		44472-2254				
	44472-2454		44472-2454		44472-2454		44472-2454		44472-2454		44472-2454		44472-2454		44472-2454		44472-2454		44472-2454		44472-2454		44472-2454		44472-2454				
D																											D		
C																											C		
B																											B		
A																											A		
SEE SHEET ONE EC NO: 2005/05/05 DRINKS STEWART CHKD: GPOLGAR APPR: H3 DESCRIPTION REV QUALITY SYMBOLS ▽=0 ▽=0 GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± --- ± --- 1 PLACE ± --- ± --- ANGULAR ±1/2° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS DIMENSION STYLE IN/MM DRAWN BY DATE LEM 02/22/99 CHECKED BY DATE MAB 02/22/99 APPROVED BY DATE RRE 02/22/99 MATERIAL NO. SEE CHART DOCUMENT NO. SDA-44472-**** SHEET NO. 3 THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																													
ib_frame_C_P_ME_T	12		11		10		9		8		7		6		5		4		3		2		1						