



Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 5180 – 13100 CMA

Stud Size: #5, M3

Features

Product Type Features

Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	#5, M3
Sealable	No

Wire Insulation Support Retention Type	Non-Insulation Support
--	------------------------

Contact Features

Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Tin

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Dimensions

Wire Size	5180 – 13100 CMA
Stud Diameter	5.1 mm[.201 in]
Tongue Thickness	.79 mm[.031 in]
Product Length	25.5 mm[1 in]



Barrel Inside Diameter	3.28 mm[.129 in]
------------------------	------------------

Usage Conditions

Insulation Option	Uninsulated
-------------------	-------------

Operation/Application

Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Tin

Industry Standards

Government Qualified Terminal	No
-------------------------------	----

Packaging Features

Packaging Quantity	500
Packaging Method	Box

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>



Compatible Parts



TE Part # 354940-1
PRO-CRIMPER III FRAME W/O DIES



TE Part # 49935
DAHT SOLIS 22-10 ASSY



TE Part # 2217483-2
KIT, BTLI, DOUBLE ACTION HEAD



TE Part # 2217483-1
KIT, BTLI, DOUBLE ACTION HEAD



TE Part # 58545-1
SOLISTRAND 10-22 DIE ASSY

Customers Also Bought



TE Part #CAT-HST-CGPT2
CGPT 3:1 Heat Shrink Tubing



TE Part #NB-PTCO-012
Pt1000, 1.2x4.0, Class B, PTFM102B1G0




TE Part #6450843-6
MBXLE R/A HEADER 7ACP




TE Part #1218440-2
AMPLIMITE,ASY,PLUG,RT ANG,109,2



TE Part #ZPF000000000205932
DTS 24 W 17-06 SN 181



TE Part #5052904010
RNF-100-1/16-2-SP



TE Part #ZPF000000000152608
DTS 24 W 11-35 SN 181



TE Part #ZPF000000000203129
DTS 24 W 25-19 SN 181



TE Part #ZPF000000000138488
DTS 24 W 09-35 SN 181



Documents

Product Drawings

SOLIS R 12-10 5MM

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_130228_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_130228_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_130228_B.3d_stp.zip

English

3D PDF

English

Customer View Model

ENG_CVM_130228_D.3d_igs.zip

English

Customer View Model

ENG_CVM_130228_D.3d_stp.zip

English

Customer View Model

ENG_CVM_130228_D.2d_dxf.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals

UL Report

English