




Terminals & Splices > Spade Terminals



Spade Terminal Type: **Spade Tongue Terminal**

Wire Size: **3947 – 5920 CMA**

Stud Size: **#10**

Features

Product Type Features

Stud Size	#10
Sealable	No
Wire Insulation Support Retention Type	Non-Insulation Support

Body Features

Product Weight	1.588 g
----------------	---------

Contact Features

Spade Terminal Type	Spade Tongue Terminal
Barrel Type	Closed
Terminal Orientation	Flanged
Terminal Plating Material	Tin

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Dimensions

Wire Size	3947 – 5920 CMA
Stud Diameter	5 mm[.197 in]
Tongue Thickness	.97 mm[.038 in]

Product Length	19.28 mm[.76 in]
Barrel Inside Diameter	2.49 mm[.098 in]

Usage Conditions

Insulation Option	Uninsulated
-------------------	-------------

Operation/Application

Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Tin

Industry Standards

Government Qualified Terminal	No
-------------------------------	----

Packaging Features

Packaging Quantity	1000
Packaging Method	Loose Piece

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides



on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




REPRESENTATION ONLY

TE Part # 49592
DAHT SOLIS 14-12 ASSY


Customers Also Bought




TE Part #34118
SOLIS SPD 22-16COMM22-18MIL 10



TE Part #5-520263-2
ULTRA-FAST 250 ASY REC 22-18 AWG TPBR



TE Part #3-520370-2
ULTRA-FAST 110/125 ASY REC 16-14AWG TPBR



TE Part #34129
TERMINAL,SOLIS SPD 16-14 10



TE Part #104479-9
SHORT POINT CONT 15 DPLX STMPD LF



TE Part #323167
STRATO-THERM, HR 8 5/16 NIPL



TE Part #ADP-TNCM-TNCF-R
TNC Plug to TNC Jack RA



TE Part #104257-1
02 MTE RCPT HSG SR LATCH .100

Documents

Product Drawings
TERMINAL,SOLIS SPD 14-12 10
English

CAD Files
3D PDF
3D
Customer View Model
ENG_CVM_CVM_34489_J.2d_dxf.zip
English
Customer View Model
ENG_CVM_CVM_34489_J.3d_igs.zip

34489

Spade Tongue Terminal, 14 – 12 AWG, #10 Stud, 5 mm [.197 in] Stud Diameter,
Closed Barrel, Flanged, Tin Plating, Uninsulated



English

Customer View Model

[ENG_CVM_CVM_34489_J.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Instruction Sheets

[Instruction Sheet \(U.S.\)](#)

English

Agency Approvals

[UL Report](#)

English