



VELCRO USA INC.

95 Sundial Ave – Manchester, NH – 03103
Tel: (800) 225 0180 – Fax: (800) 835 2761
www.velcro.com

VELCRO® Brand

HANGables® Removable Wall Fasteners

Category:

Family:

Product Specification Sheet

Date (June 2024)

Product Description

VELCRO® Brand Removable Wall Fasteners are the perfect way to decorate without damaging your walls. Hang frames. Create wall collages. Enhance any room with ease. Then, when you're ready, use the easy peel tab to remove cleanly. These squares are perfect for hanging photos and posters up to 2lbs (1/2lb per set). It's the simple way to decorate worry free.

Product Image



Product Options

Colors: White

Shapes: Strips, Squares, Corners

Product Components

Hook: HTH 58A

Loop: L3325

Adhesive: Hook: Rubber 35
Loop: Silicone 09



VELCRO USA INC.

95 Sundial Ave – Manchester, NH – 03103
Tel: (800) 225 0180 – Fax: (800) 835 2761
www.velcro.com

Material Composition

Primary: Nylon 24%

Secondary: Rubber 20%

Technical Specifications

Closure Peel (PIW): 0.2 PIW min

Closure Shear (PSI): 22 PSI min

Adhesive Peel: Removable 2.1 PIW avg.
Permanent 13 PIW avg.

Adhesive Temp Range: 0° to 100°F

Packaging Image:



Packaging Information

Current Suggested Use	Painted drywall, glass, laminated wood, metal, some plastics, some painted brick or concrete
Not Recommended For	fabrics, sewing, dashboards, flexible vinyl, rough concrete, or brick
Current Claims	Damage-Free Low Profile Peel Tab for Easy Removal



VELCRO USA INC.

95 Sundial Ave – Manchester, NH – 03103
Tel: (800) 225 0180 – Fax: (800) 835 2761
www.velcro.com

Instructions

1. Clean drywall with a damp cloth with dish soap – wipe dry with a clean cloth and let dry 15 minutes before applying product
2. Hand press Permanent Hook onto picture/photo frame
3. Hand press Loop onto hook while release liner is still on (tab facing down), press firmly across the entire loop
4. Remove loop release liner
5. Press mated hook & loop firmly with whole palm for 30 -40 seconds against the substrate
6. Remove the picture/photo from the wall by pulling away from the wall 90 degrees from one corner
7. Rub and press firmly each loop patch left on wall firmly for 30 seconds
8. Reattach the frame

Flammability Resistance VELCRO® Brand Removable Wall Fasteners is not fire retardant and should not be used where flammability resistance is a concern.

Water/Humidity resistance: VELCRO® Brand Removable Wall Fasteners have low moisture regain, and are stable to dimensional changes due to temperature and humidity. The intended application with adhesive 09 and 35 is on clean dry surfaces. VELCRO® Brand Removable Wall Fasteners is not designed for underwater use. The closure will however, withstand incidental exposure to water.

Outdoor Use: VELCRO® Brand Removable Wall Fasteners have good UV properties, but this system has not been tested for resistance to UV exposure. The system has been tested at normal operating temperatures and expected to perform satisfactorily in indoor use. The system may perform in certain types of outdoor applications, but should be thoroughly tested before use.

Washing and Dry Cleaning: VELCRO® Brand Removable Wall Fasteners should not be washed or dry cleaned.

Repositioning: VELCRO® Brand Removable Wall Fasteners loop side is designed to be removed, but not reused. No data exists on adhesion loss after numerous adhesive repositioning cycles.

Shelf Life: VELCRO® Brand Removable Wall Fasteners has a shelf life of 2 years from production date. Keep cool, dry and protect from sunlight.

Storage

General storage conditions: 65°F – 75°F (18C - 24C) with relative humidity of 40% – 65%. To extend shelf life, store in original packaging. Removal of release liner prior to application will shorten the product life cycle.

Product Use

The information, statements, and comments contained within this document are based on our experience and testing and are believed to be accurate, However, because there are many

factors involved in specific applications that can impact end use and performance, product users should always test the product for its ability to meet the requirements of their specific use and method of application.

**Limited
Warranty**

Velcro Industries* warrant that each product will substantially comply with its written specifications at the time of shipment. ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY DISCLAIMED. The product user is responsible for determining whether the product is fit and suitable for intended application. If the product does not meet specifications as warranted, we will, at our option, repair or replace the product, or credit or refund the purchase price. The foregoing constitutes the user's sole remedy and our sole obligation hereunder.

**Limitation of
Liability**

To the maximum extent permitted under applicable law, Velcro industries' liability for any losses or damages relating to use of the product shall not exceed the purchase price for such product, regardless of whether such losses or damages are direct, indirect, special, incidental or consequential, and regardless of the legal theory asserted, including, but not limited to, warranty, contract, negligence or strict liability.

USA
Velcro USA Inc.
Tel: (800) 225 0180
marketing@velcro.com
www.velcro.com

Spain
Velcro Europe S.A.
Tel: (34) 93 758 32 98
infovelcro@velcro.es
www.velcro.es

Italy
Velcro Italia, S.R.L.
Tel: (39) 039 62 70 01
commerciale@velcroitalia.it
www.velcro.it

China
Velcro Fastening Systems
Company Limited
Tel: (86) 512 8164 5888
www.velcro.com.cn

Canada
Velcro Canada Inc.
Tel: (800) 683 5276
canada@velcro.com
www.velcro.ca

Germany
Velcro GMBH
Tel: (49) 7141 991 19-0
info@velcro.de
www.velcro.de

UK
Velcro Limited
Tel: 44) 1606 73 88 06
uksales@velcro.com
www.velcro.co.uk

Hong Kong
Velcro Hong Kong Ltd.
Tel: (852) 2570 3698
www.velcro.com.hk

Mexico
Velcro de Mexico, S.A. de
C.V.
Tel (52) 55 5005 3300
salesmc@velcro.com
www.velcrodemexico.com

France
Velcro Industries France
S.A.
Tel : (33) 1 34 38 78 88
info@velcro.fr
www.velcro.fr

Australia
Velcro Australia Pty. Ltd.
Tel: (61) 3 9703 2466
sales@velcro.com.au
www.velcro.com.au

* Velcro Industries includes Velcro USA Inc. and all affiliates involved in development, manufacture or sale of the Products.