



TE Internal #: 1-2016656-0
SMA Cable Assembly, 1 m [3.28 ft], Blue Cable, 50 ohm, PUR
Jacket, 19 AWG, 10.2 mm [.4 in] Diameter, SMA Plug End A, SMA
Plug End B
[View on TE.com >](#)

Cable Assemblies > RF Cable Assemblies



Cable Assembly Type: **SMA**
Cable Assembly Length: **1 m [3.28 ft]**
Cable Color: **Blue**
Impedance: **50 Ω**
Jacket Material: **PUR**

Features

Product Type Features

Cable Assembly Type	SMA
Cable Assembly (End A)	SMA Plug
Cable Assembly (End B)	SMA Plug

Electrical Characteristics

Impedance	50 Ω
-----------	------

Body Features

Strain Relief Type	HST
Cable Color	Blue
Jacket Material	PUR

Dimensions

Wire Size	19 AWG
Outside Cable Diameter	10.2 mm[.4 in]

Usage Conditions

Operating Temperature Range	-40 – 85 °C[-40 – 185 °F]
-----------------------------	---------------------------



Operation/Application

Shielded	Yes
----------	-----

Other

Cable Assembly Length	1 m[3.28 ft]
-----------------------	--------------

Product Compliance


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) SVHC > Threshold: Pb (4.35% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1058117-1
3284 2240 00



TE Part # 2408014-1
SMA FEMALE ST TO SWITCH



TE Part # 2081570-1
2.92MM JACK 2 HOLE FLANGE
RECEPTACLE



TE Part # 1059731-1
4584 2242 02



TE Part # 1059724-1
4583 2240 02



TE Part # 1057377-1
3082 2240 00,ADAPTER,N TO SMA



TE Part # 2081570-2
2.92MM JACK 2 HOLE FLANGE
RECEPTACLE



TE Part # 1059733-1
BSA, OSP Jack-SMA Jack BHD 4584
2244 02




TE Part # 2081934-1
2.92MM JACK PCB EDGE LAUNCH

Customers Also Bought



TE Part #CAT-AM71-CH8172
AMP SUPERSEAL 1.5MM,
CONNECTOR HOUSING



TE Part #281934-2
SINGLE WIRE SEAL



TE Part #CAT-D487-W416
Wedgelocks: DEUTSCH DT



TE Part #DT04-2P
REC, 2P, GRY, N



TE Part #CAT-D48-ST273
DEUTSCH Solid Contacts



TE Part #DT06-2S
PLG, 2P, GRY, N



TE Part #114017-ZZ
SEALING PLUG, SIZE 12/16, WHT

Documents



Product Drawings

SMA M DOUBLE,18G,1.0M WITH ARMOR,PUR

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-2016656-0_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-2016656-0_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-2016656-0_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Product Specification

English