



Multi-Look® LED Lampe Sockel BA9s MWCB22xx9

Multi-Look® LED Lampe mit Single-Chip.
Durch die Versiegelung der Chip-LED wird
sowohl eine Vergrößerung des Abstrahlwinkels
als auch ein hoher mechanischer
Schutz erreicht.
Schock- und vibrationsfest.

Multi-Look® LED lamp socket BA9s MWCB22xx9

*Multi-Look® LED lamp with single chip.
By sealing the Chip-LED, both an
enlargement of the beam angle and a
high mechanical protection will be
achieved.
Shock and vibration resistant.*



Spezifikation

Maße: Ø9,7 mm / Länge 22 mm
Sockel: BA9s
Betriebsspannung:
6V, 12V, 24V, 42V, 60V +15% AC/DC
130V, 230V +10% AC/DC
Kompatibel für: Siemens Sirius 3SB1, 3SB3, 3SF5

ACHTUNG!

Die 130V-Typen dürfen nicht in Lampenfassungs-
Elementen mit integriertem Vorwiderstand zum
Betrieb von 130V-Lampen verwendet werden. Für
diese Anwendungen ist ausschließlich der Einsatz
unserer serienmäßigen 230V-Typen zulässig.

Specification

*Dimensions: Ø9.7 mm / length 22 mm
Socket: BA9s
Operating voltage:
6V, 12V, 24V, 42V, 60V +15% AC/DC
130V, 230V +10% AC/DC
Compatible for: Siemens Sirius 3SB1, 3SB3, 3SF5*

ATTENTION!

*The 130V- types must not be used in lamp socket
elements with integrated resistor for the operation of
130V- lamps. For this kind of application, solely our
standard 230V- types are allowable.*

Materialien

Teil	Material
Reflektor	PBT Polybutylenterephthalat
Isolierteil	Polycarbonat in Leuchtfarbe

Material

Part	Material
Reflector	PBT polybutylene terephthalate
Insulating part	Polycarbonat in luminous color

Betriebstemperatur -30°C/+75°C
Lagertemperatur -40°C/+100°C

Operation Temperature -30°C/+75°C
Storage Temperature -40°C/+100°C

Optionen

- Sockel E10
Multi-Look® LED Lampe E10
MWCE22xx9_180.pdf
- Hellere Ausführung
Multi-Look® LED Lampe Ba9s 6 /12/24V
MWKB22x4_1444.pdf
- Hellere Ausführung
Multi-Look® LED Lampe Ba9s 130/230V
MWKB22x8_1501.pdf

Options

- Socket E10
Multi-Look® LED lamp E10
MWCE22xx9_180.pdf
- Brighter version
Multi-Look® LED Lamp Ba9s 6 /12/24V
MWKB22x4_1444.pdf
- Brighter version
Multi-Look® LED Lamp Ba9s 130/230V
MWKB22x8_1501.pdf

Artikel/ Part		Artikel-Text				Part-Text				
Spannung Voltage	Farbe Color	Lichtstärke Luminous Intensity	Vollwinkel Viewing Angle	Lichtstrom Luminous Flux	Leuchtdichte luminous density	Beleuchtungsstärke Illumination Level	Strom Current	Leistung Power	Lebensdauer Life-Time(1)	Anzahl LED Number of LED
MWCB22019 Multi-Look® LED Lampe rot 6V AC/DC BA9s Multi-Look® LED lamp red 6V AC/DC BA9s										
6 V	rot red	130 mcd/ @ 14,400 mA	160°	0,58 lm			14,4mA	90 mW	60000 h	1
MWCB22029 Multi-Look® LED Lampe rot 12V AC/DC BA9s Multi-Look® LED lamp red 12V AC/DC BA9s										
12 V	rot red	140 mcd/ @ 15,900 mA	160°	0,64 lm			15,9mA	200 mW	60000 h	1
MWCB22049 Multi-Look® LED Lampe rot 24V AC/DC BA9s Multi-Look® LED lamp red 24V AC/DC BA9s										
24 V	rot red	170 mcd/ @ 19,500 mA	160°	0,79 lm			19,5mA	470 mW	60000 h	1
MWCB22059 Multi-Look® LED Lampe rot 48V AC/DC BA9s Multi-Look® LED lamp red 48V AC/DC BA9s										
48 V	rot red	120 mcd/ @ 14,800 mA	160°	0,69 lm			14,8mA	710 mW	60000 h	1
MWCB22069 Multi-Look® LED Lampe rot 60V AC/DC BA9s Multi-Look® LED lamp red 60V AC/DC BA9s										
60 V	rot red	100 mcd/ @ 10,900 mA	160°	0,44 lm			10,9mA	660 mW	60000 h	1
MWCB22119 Multi-Look® LED Lampe gelb 6V AC/DC BA9s Multi-Look® LED lamp yellow 6V AC/DC BA9s										
6 V	gelb yellow	110 mcd/ @ 13,900 mA	160°	0,64 lm			13,9mA	90 mW	60000 h	1
MWCB22129 Multi-Look® LED Lampe gelb 12V AC/DC BA9s Multi-Look® LED lamp yellow 12V AC/DC BA9s										
12 V	gelb yellow	120 mcd/ @ 15,700 mA	160°	0,73 lm			15,7mA	190 mW	60000 h	1
MWCB22149 Multi-Look® LED Lampe gelb 24V AC/DC BA9s Multi-Look® LED lamp yellow 24V AC/DC BA9s										
24 V	gelb yellow	150 mcd/ @ 19,400 mA	160°	0,9 lm			19,4mA	470 mW	60000 h	1
MWCB22159 Multi-Look® LED Lampe gelb 48V AC/DC BA9s Multi-Look® LED lamp yellow 48V AC/DC BA9s										
48 V	gelb yellow	130 mcd/ @ 14,900 mA	160°	0,6 lm			14,9mA	720 mW	60000 h	1
MWCB22169 Multi-Look® LED Lampe gelb 60V AC/DC BA9s Multi-Look® LED lamp yellow 60V AC/DC BA9s										
60 V	gelb yellow	90 mcd/ @ 10,900 mA	160°	0,5 lm			10,9mA	660 mW	60000 h	1
MWCB22419 Multi-Look® LED Lampe blau 6V AC/DC BA9s Multi-Look® LED lamp blue 6V AC/DC BA9s										
6 V	blau blue	160 mcd/ @ 15,000 mA	160°	0,63 lm			15 mA	90 mW	60000 h	1
MWCB22429 Multi-Look® LED Lampe blau 12V AC/DC BA9s Multi-Look® LED lamp blue 12V AC/DC BA9s										
12 V	blau blue	150 mcd/ @ 13,900 mA	160°	0,58 lm			13,9mA	170 mW	60000 h	1
MWCB22449 Multi-Look® LED Lampe blau 24V AC/DC BA9s Multi-Look® LED lamp blue 24V AC/DC BA9s										
24 V	blau blue	190 mcd/ @ 18,500 mA	160°	0,77 lm			18,5mA	450 mW	60000 h	1

Artikel/ Part		Artikel-Text				Part-Text				
Spannung Voltage	Farbe Color	Lichtstärke Luminous Intensity	Vollwinkel Viewing Angle	Lichtstrom Luminous Flux	Leuchtdichte luminous density	Beleuchtungsstärke Illumination Level	Strom Current	Leistung Power	Lebensdauer Life-Time(1)	Anzahl LED Number of LED
MWCB22459 Multi-Look® LED Lampe blau 48V AC/DC BA9s Multi-Look® LED lamp blue 48V AC/DC BA9s										
48 V	 blau blue	150 mcd/ @ 14,700 mA	160°	0,61 lm			14,7mA	710 mW	60000 h	1
MWCB22469 Multi-Look® LED Lampe blau 60V AC/DC BA9s Multi-Look® LED lamp blue 60V AC/DC BA9s										
60 V	 blau blue	110 mcd/ @ 10,700 mA	160°	0,45 lm			10,7mA	640 mW	60000 h	1
MWCB22479 Multi-Look® LED Lampe blau 130V AC/DC BA9s Multi-Look® LED lamp blue 130V AC/DC BA9s										
130 V	 blau blue	60 mcd/ @ 5,800 mA	160°	0,24 lm			5,8mA	750 mW	60000 h	1
MWCB22489 Multi-Look® LED Lampe blau 230V AC/DC BA9s Multi-Look® LED lamp blue 230V AC/DC BA9s										
230 V	 blau blue	30 mcd/ @ 3,000 mA	160°	0,13 lm			3 mA	700 mW	60000 h	1
MWCB22519 Multi-Look® LED Lampe warmweiß 6V AC/DC BA9s Multi-Look® LED lamp warm white 6V AC/DC BA9s										
6 V	 warmweiß warm white	740 mcd/ @ 16,000 mA	160°	3,13 lm			16 mA	100 mW	60000 h	1
MWCB22529 Multi-Look® LED Lampe warmweiß 12V AC/DC BA9s Multi-Look® LED lamp warm white 12V AC/DC BA9s										
12 V	 warmweiß warm white	560 mcd/ @ 14,100 mA	160°	2,76 lm			14,1mA	170 mW	60000 h	1
MWCB22549 Multi-Look® LED Lampe warmweiß 24V AC/DC BA9s Multi-Look® LED lamp warm white 24V AC/DC BA9s										
24 V	 warmweiß warm white	860 mcd/ @ 18,600 mA	160°	3,64 lm			18,6mA	450 mW	60000 h	1
MWCB22569 Multi-Look® LED Lampe warmweiß 60V AC/DC BA9s Multi-Look® LED lamp warm white 60V AC/DC BA9s										
60 V	 warmweiß warm white	500 mcd/ @ 10,700 mA	160°	2,09 lm			10,7mA	650 mW	60000 h	1
MWCB22579 Multi-Look® LED Lampe warmweiß 130V AC/DC BA9s Multi-Look® LED lamp warm white 130V AC/DC BA9s										
130 V	 warmweiß warm white	270 mcd/ @ 5,800 mA	160°	1,13 lm			5,8mA	750 mW	60000 h	1
MWCB22589 Multi-Look® LED Lampe warmweiß 230V AC/DC BA9s Multi-Look® LED lamp warm white 230V AC/DC BA9s										
230 V	 warmweiß warm white	140 mcd/ @ 3,000 mA	160°	0,59 lm			3 mA	700 mW	60000 h	1
MWCB22619 Multi-Look® LED Lampe weiß 6V AC/DC BA9s Multi-Look® LED lamp white 6V AC/DC BA9s										
6 V	 weiß white	1.080 mcd/ @ 16,000 mA	160°	4,26 lm			16 mA	100 mW	60000 h	1
MWCB22629 Multi-Look® LED Lampe weiß 12V AC/DC BA9s Multi-Look® LED lamp white 12V AC/DC BA9s										
12 V	 weiß white	950 mcd/ @ 14,100 mA	160°	3,75 lm			14,1mA	170 mW	60000 h	1
MWCB22649 Multi-Look® LED Lampe weiß 24V AC/DC BA9s Multi-Look® LED lamp white 24V AC/DC BA9s										
24 V	 weiß white	1.250 mcd/ @ 18,600 mA	160°	4,95 lm			18,6mA	450 mW	60000 h	1
MWCB22659 Multi-Look® LED Lampe weiß 42/48V AC/DC BA9s Multi-Look® LED lamp white 48V AC/DC BA9s										
48 V	 weiß white	1.000 mcd/ @ 14,800 mA	160°	3,94 lm			14,8mA	710 mW	60000 h	1
MWCB22669 Multi-Look® LED Lampe weiß 60V AC/DC BA9s Multi-Look® LED lamp white 60V AC/DC BA9s										
60 V	 weiß white	720 mcd/ @ 10,700 mA	160°	2,85 lm			10,7mA	650 mW	60000 h	1
MWCB22679 Multi-Look® LED Lampe weiß 130V AC/DC BA9s Multi-Look® LED lamp white 130V AC/DC BA9s										
130 V	 weiß white	390 mcd/ @ 5,800 mA	160°	1,54 lm			5,8mA	750 mW	60000 h	1
MWCB22689 Multi-Look® LED Lampe weiß 230V AC/DC BA9s Multi-Look® LED lamp white 230V AC/DC BA9s										
230 V	 weiß white	200 mcd/ @ 3,000 mA	160°	0,8 lm			3 mA	700 mW	60000 h	1
MWCB22719 Multi-Look® LED Lampe grün 6V AC/DC BA9s Multi-Look® LED lamp green 6V AC/DC BA9s										
6 V	 grün green	460 mcd/ @ 13,000 mA	160°	1,74 lm			13 mA	80 mW	60000 h	1

Artikel/ Part		Artikel-Text					Part-Text			
Spannung Voltage	Farbe Color	Lichtstärke Luminous Intensity	Vollwinkel Viewing Angle	Lichtstrom Luminous Flux	Leuchtdichte luminous density	Beleuchtungsstärke Illumination Level	Strom Current	Leistung Power	Lebensdauer Life-Time(1)	Anzahl LED Number of LED
MWCB22729 Multi-Look® LED Lampe grün 12V AC/DC BA9s Multi-Look® LED lamp green 12V AC/DC BA9s										
12 V	 grün green	470 mcd/ @ 13,500 mA	160°	1,81 lm			13,5mA	170 mW	60000 h	1
MWCB22749 Multi-Look® LED Lampe grün 24V AC/DC BA9s Multi-Look® LED lamp green 24V AC/DC BA9s										
24 V	 grün green	640 mcd/ @ 18,300 mA	160°	2,45 lm			18,3mA	440 mW	60000 h	1
MWCB22759 Multi-Look® LED Lampe grün 48V AC/DC BA9s Multi-Look® LED lamp green 48V AC/DC BA9s										
48 V	 grün green	520 mcd/ @ 14,700 mA	160°	1,97 lm			14,7mA	710 mW	60000 h	1
MWCB22769 Multi-Look® LED Lampe grün 60V AC/DC BA9s Multi-Look® LED lamp green 60V AC/DC BA9s										
60 V	 grün green	370 mcd/ @ 10,600 mA	160°	1,42 lm			10,6mA	640 mW	60000 h	1
MWCB22779 Multi-Look® LED Lampe grün 130V AC/DC BA9s Multi-Look® LED lamp green 130V AC/DC BA9s										
130 V	 grün green	200 mcd/ @ 5,800 mA	160°	0,78 lm			5,8mA	750 mW	60000 h	1
MWCB22789 Multi-Look® LED Lampe grün 230V AC/DC BA9s Multi-Look® LED lamp green 230V AC/DC BA9s										
230 V	 grün green	100 mcd/ @ 3,000 mA	160°	0,4 lm			3 mA	700 mW	60000 h	1

(1) Lebensdauer bei 25° C Umgebungstemperatur

Lebensdauer: Die Lebensdauer einer LED ist definiert als Abnahme der Helligkeit auf 50% des Ausgangswertes

The life time of an LED is defined as decrease of brightness by 50% of the initial value

LT

Technische Änderungen vorbehalten. Datenblatt unterliegt nicht dem Änderungsdienst.
Die angegebenen technischen Daten sind typische Durchschnittswerte.

Helligkeitswerte nach CIE127 falls nicht anders angegeben.

Wir empfehlen das Dokument mit der Einstellung "Seitengröße anpassen" zu Drucken

Wir achten bei Entwicklung und Herstellung unserer Produkte auf einen möglichst geringen Einsatz von Ressourcen und auf niedrigen Energiebedarf im Betrieb.

Bitte prüfen Sie, ob es unbedingt erforderlich ist, das gesamte Dokument zu Drucken. So schonen Sie zusätzlich Ressourcen und unsere Umwelt.

Specifications are subject to change without notice.

The technical data are typical figures.

Photometry according to CIE127 unless otherwise indicated.

We recommend to print the document with option "Fit to Page"

We care for environment when producing and manufacturing our products. Also we care for a low power consumption and a low consumption of resources.

Please consider environmental responsibility before printing this document