DIGITUS®

UNIVERSAL CHARGING ADAPTER, USB-C™, 20 W



Quick Installation Guide DA-10196

INTRODUCTION

The Universal Charging Adapter from DIGITUS® is suitable for USB-C™ devices such as smartphones, tablets or notebooks and provides an output of up to 20 W. The integrated short circuit, surge and excess current protection provides added security. Furthermore, the integrated excess heat protection prevents potential overloads and damages to the charger or connected devices. The LED display provides information about the current charging status. Its compact dimensions make the charging adapter ideal for on the go.

PACKAGE CONTENT

Before attempting to use this unit, please check the packaging and make sure the following items are contained in the shipping carton:

- 1 x Universal Charging Adapter, USB-C[™], 20 W
- 1 x QIG

SECURITY ADVISE

Please read the following information before usage:

- . Do not touch this product with wet hands or expose it to water.
 - Prevent the USB A ports and USB-C™ Ports conductive materials, such as liquids, dust, metal powders, and pencil leads.
- If not used for a long time, disconnect the charger from the socket
- This product is intended for private use only and must not be used for commercial purposes to prevent material damage or personal injuries.
- Do not use this product in any way other than for the intended usage.
- For indoor use only. Do not expose to water or excessive moisture.

- Do not use the product if the ambient temperature exceeds 25C.
 Do not store outside the temperature range 0-40°C.
- Do not drop, damage or disassemble this product. Do not use this
 product if it is damaged in any way.
- If the product becomes unusually hot, stop using it immediately and contact customer support.
- . There is a risk of electric shock if the product is used incorrectly.
- Not suitable for use by children or use by persons with reduced physical, sensory or mental capabilities, or lack of experience or knowledge, unless they have been given supervision or instruction concerning use of the product by a person responsible for their safety.

PRODUCT FEATURES

- Compact charger for USB-C[™] devices such as smartphones or tablets
- Supports charging power of up to 20 W compatible with Power Delivery (PD 3.0)
- Integrated surge protection / excess current protection / short circuit protection
- Integrated overheating protection with auto-recovery for the highest degree of security
- LED charging display
- Ideal for use on the go thanks to compact dimensions
- · Housing made of fire-resistant material
- Compatible with many smartphones / tablets with 20 W charging adapter

PRODUCT OVERVIEW



- USB-C[™] power delivery
- 2. LED charging indicator

TECHNICAL SPECIFICATIONS

- Connection: USB Type-C™
- Input voltage: 100 240 V AC. 50/60 Hz
- Plug designation: CEE-7/16 Euro plug (Type C)
- Standby power consumption: 0.1 W
- Output voltage: 5 V / 3 A, 9 V / 2.22 A (20 W max.)
- · Supports Power Delivery 3.0 with 20 W charging capacity
- Surge protection / excess current protection / overload protection / short circuit protection
- Protection against overheating with automatic switch-off and recovery (auto-recovery)
- Operating temperature: 0 °C to 40 °C
- Storage temperature: -20 °C to +85 °C
- · Operating humidity: 20% 90% RH (non-condensing)
- Storage humidity: 5% 95% RH (non-condensing)
- Dimensions: L 64.1 x W 44 x H 27.7 mm
- Color: White
- Weight: 59 g

OPERATION

Operation Procedures

- 3. Plug the travel charger into a socket.
- Plug one USB connector of the cable into the Type-C interface of travel charger and plug the other connector of the cable into the electronic device (mobile phone, MP3, tablet, PC, etc.)
- Please unplug the travel charger after the electronic device is fully charged.

Operation Notes

- For optimum performance, please use the travel charger according to the user manual.
- Please plug the travel charger into socket which voltage range should be 100-240VAC.
- Please unplug the travel charger after using.
 Note: Our products have protection functions and the two tips above are suggestions just for safety.
- Do not use the travel charger with an electronic product which is not in conformity with the specifications, as to avoid any problem caused by specification mismatching.
- It's normal that travel charger will be a little overheated in the use process.
- When the travel charger stops working under over-current, overtemperature or short-circuit protection, please unplug the device after it automatically returns to work, then you need to check whether the device is compatible with this charger.
- 7. Do not let the travel charger close to fire, such as stove, candles, etc.
- 8. Do not let the travel charger soak into liquid, such as swimming pool, bathtub, etc.
- 9. Do not wash the travel charger with corrosive cleaner.
- 10. If the travel charger cannot work properly, please contact the store or distributor in your area.

RECYCLING

This symbol on the electronic product or on its packaging indicates that the electronic product (including the battery) should not be treated as household waste. Instead, it should be handed over to the appropriate collection point for the recycling of electrical and electronic equipment. Do not attempt to remove internal batteries. Internal batteries shall be removed only by a waste treatment facility or trained service professional.



By ensuring this product is disposed of correctly, you will help prevent potential negative consequences, for the environment and human health, which could otherwise be caused by inappropriate waste handling of this product. The recycling of materials will help conserve natural resources. For more information about recycling of this product, please contact your local council for advice or your household waste disposal service.

DISCLAIMER

Hereby Assmann Electronic GmbH, declares that the Declaration of Conformity is part of the shipping content. If the Declaration of Conformity is missing, you can request it by post under the below mentioned manufacturer address.

www.assmann.com

Assmann Electronic GmbH Auf dem Schüffel 3 58513 Lüdenscheid Germany

