

Current version : 3.0.0, issued: 30.04.2020

Replaced version: 2.0.0, issued: 27.10.2015

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Edding Ink (gold, silver, red-metallic, blue-metallic, violet-metallic) contained in edding 1200 metallic

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture Ink for use in felt pens

Uses advised against No data available.

1.3 Details of the supplier of the safety data sheet

Address

edding International GmbH Bookkoppel 7 D-22926 Ahrensburg

Telephone no. +49 (0) 41 02 / 80 8-0

Information provided by / telephone +49 (0)4102 - 808-0

Advice on Safety Data Sheet sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)30 30686 790 (Giftnotruf Berlin)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP) Skin Sens. 1A; H317

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



Warning

Hazardous component(s) to be indicated on label:

2-methyl-2H-isothiazol-3-one

Hazard statement(s) H317 N

May cause an allergic skin reaction.



Curr	ent version : 3.0.0, issued: 30.04.2	020 Replaced version: 2.0.0, issued: 27.10.2015 Region: GB
	Hazard statements (EU)	
	FUH208	Contains 1 2-benzisothiazol-3(2H)-one 2-octyl-2H-isothiazol-3-one. May produce an

EUH208	Contains 1,2-benzisotniazol-3(2H)-one, 2-octyl-2H-isotniazol-3-one. May produce an allergic reaction.
Precautionary s	statement(s)
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P501	Dispose of contents/container to a facility in accordance with local and national regulations.

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Chemical characterization Mixture (preparation)

	Hazardous ingredients						
No	Substance name		Addit	tional information	n		
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Conc	entration		%	
1	aluminium powder						
	7429-90-5	Flam. Sol. 1; H228	>=	5.00 - <	10.00	%-b.w.	
	231-072-3	Water-react. 2; H261					
	013-002-00-1						
0	-						
2	ethanediol 107-21-1	Acute Tox. 4*; H302	>=	5.00 - <	10.00	%-b.w.	
	203-473-3	Acute 10x. 4"; H302	>=	5.00 - <	10.00	%-D.W.	
	603-027-00-1						
	-						
3	ethanol						
-	64-17-5	Flam. Lig. 2; H225	<	5.00		%-b.w.	
	200-578-6						
	603-002-00-5						
	-						
4	1,2-benzisothiazol-						
	2634-33-5	Acute Tox. 4; H302	<	0.05		%-b.w.	
	220-120-9	Aquatic Acute 1; H400					
	613-088-00-6 01-2120761540-60	Eye Dam. 1; H318 Skin Irrit. 2; H315					
	01-2120701540-00	Skin Sens. 1; H317					
5	2-methyl-2H-isothi						
0	2682-20-4	Acute Tox. 2; H330	>	0.0015		%-b.w.	
	220-239-6	Acute Tox. 3; H301		0.0010		/ D . II .	
	613-326-00-9	Acute Tox. 3; H311					
	-	Aquatic Acute 1; H400					
		Aquatic Chronic 1; H410					
		EUH071					
		Eye Dam. 1; H318					
		Skin Corr. 1B; H314					
		Skin Sens. 1A; H317					
6	3-iodo-2-propynyl				0.1-		
1	55406-53-6	Acute Tox. 3; H331		<	0.10	%-b.w.	
1	259-627-5	Acute Tox. 4; H302					
	616-212-00-7	Aquatic Acute 1; H400					



Current version : 3.0.0, issued: 30.04.2020

Replaced version: 2.0.0, issued: 27.10.2015

Region: GB

	-	Aquatic Chronic 1; H410 Eye Dam. 1; H318 Skin Sens. 1; H317 STOT RE 1; H372			
7	2-octyl-2H-isoth	iazol-3-one			
	26530-20-1	Acute Tox. 3*; H311	<	0.05	%-b.w.
	247-761-7	Acute Tox. 3*; H331			
	613-112-00-5	Acute Tox. 4*; H302			
	-	Aquatic Acute 1; H400			
		Aquatic Chronic 1; H410			
		Skin Corr. 1B; H314			
		Skin Sens. 1; H317			

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(*,**,****) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	Т	-	-	-
4	-	Skin Sens. 1; H317: C >= 0.05%	M = 10	-
5	-	Skin Sens. 1A; H317: C >= 0.0015%	M = 10	M = 1
6	-	-	M = 10	M = 1
7	-	Skin Sens. 1; H317: C >= 0.05%	-	-

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

No	Route, target organ, concrete effect
6	H372
	-; larynx; -

3.3 Other information

The data subject of this Material Safety Data sheet refer to the ink contained in this product (marker).

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

After inhalation

Ensure supply of fresh air.

After skin contact

Wash off immediately with soap and water.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

After ingestion

Rinse mouth thoroughly with water. Call a doctor immediately. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed No data available.

4.3 Indication of any immediate medical attention and special treatment needed No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam; Carbon dioxide; Extinguishing powder; Water spray jet



Current version : 3.0.0, issued: 30.04.2020

Replaced version: 2.0.0, issued: 27.10.2015

Region: GB

Unsuitable extinguishing media High power water jet

5.2 Special hazards arising from the substance or mixture In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2)

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g., sand, kieselguhr, universal binder). When collected, handle material as described under the section heading "Disposal considerations".

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Provide good ventilation at the work area (local exhaust ventilation, if necessary). Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Wash hands before breaks and after work.

Advice on protection against fire and explosion

Keep away from sources of heat and ignition.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions Keep container tightly closed and dry in a cool, well-ventilated place.

Requirements for storage rooms and vessels Store product in closed containers.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.	EC no.			
1	aluminium powder (stabilised)	7429-90-5	231-072-3			
	List of approved workplace exposure limits (WELs) / EH40					
	Aluminium metal					



Current version : 3.0.0, issued: 30.04.2020

Replaced version: 2.0.0, issued: 27.10.2015

Region: GB

	WEL long-term (8-hr TWA reference period)	1920	mg/m ³	1000	ppm
	List of approved workplace exposure limits (WE Ethanol	Ls) / EH40			
3	ethanol	64-17-5		200-578-0	6
	Comments	Sk			
	WEL long-term (8-hr TWA reference period)	10	mg/m³		
	Ethane-1,2-diol particulate				
	List of approved workplace exposure limits (WE	Ls) / EH40			
	Comments	Sk	-		••
	WEL long-term (8-hr TWA reference period)	52	mg/m³	20	ppm
	WEL short-term (15 min reference period)	104	mg/m³	40	ppm
	Ethane-1,2-diol vapour				
	List of approved workplace exposure limits (WE	Ls) / EH40			
	Skin resorption / sensibilisation	Skin			
	WEL long-term (8-hr TWA reference period)	52	mg/m ³	20	ppm
	WEL short-term (15 min reference period)	104	mg/m³	40	ppm
	Ethylene glycol				
_	2000/39/EC			200 410	<u> </u>
2	ethanediol	107-21-1	iiig/iii	203-473-3	3
	WEL long-term (8-hr TWA reference period)	4	mg/m³		
	respirable dust				
	List of approved workplace exposure limits (WE	LS) / EH40			
	WEL long-term (8-hr TWA reference period)	10	mg/m³		
	total inhalable dust		1.2		

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Safety glasses (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Other

Normal chemical work clothing.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form/Colour	
liquid	
various	
Odour	
characteristic	



Current version : 3.0.0, issued: 30.04.2020

Replaced version: 2.0.0, issued: 27.10.2015

Region: GB

oH value				
Value		8.5		
Boiling point / boiling range				
Value		70	°C	
Melting point / melting range				
No data available				
Decomposition point / decomposition rang	ge			
Flash point				
/alue		101	°C	
gnition temperature	F			
/alue		410	°C	
Auto-ignition temperature No data available				
Oxidising properties No data available				
Explosive properties				
No data available				
Flammability (solid, gas)				
No data available				
Lower flammability or explosive limits No data available				
Upper flammability or explosive limits				
No data available				
Vapour pressure				
/alue		23	hPa	
Vapour density				
No data available				
Evaporation rate No data available				
Relative density No data available				
Density				
No data available				
Solubility in water				
No data available				
Solubility(ies)				
No data available				
Partition coefficient: n-octanol/water No data available				
Viscosity No data available				

No data available.



Current version : 3.0.0, issued: 30.04.2020

Replaced version: 2.0.0, issued: 27.10.2015

Region: GB

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No data available.
- **10.2 Chemical stability** Stable under recommended storage and handling conditions (See section 7).
- **10.3 Possibility of hazardous reactions** No data available.
- **10.4 Conditions to avoid** Heat
- **10.5** Incompatible materials No data available.
- **10.6 Hazardous decomposition products** No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acu	Acute oral toxicity (result of the ATE calculation for the mixture)					
No	Product Name					
1	Edding Ink (gold, silver, red-metallic, blue-metallic,					
	violet-metallic) contained in edding 1200 metallic					
Corr	iments	The result of the applied calculation method according to the				
		European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6,				
		Part 3 of Annex I is outside the values that imply a classification /				
		labelling of this mixture according to table 3.1.1 defining the				
		respective categories (ATE oral > 2000 mg/kg).				

Acu	te oral toxicity			
No	Substance name	CAS no.		EC no.
1	ethanediol	107-21-1		203-473-3
LD5	0		5840	mg/kg bodyweight
Species		rat		
Sou	rce	Manufacturer		
2	ethanol	64-17-5		200-578-6
LD5	0		6200	mg/kg bodyweight
Species		rat		
Sou	rce	Manufacturer		

Acute dermal toxicity				
No	Substance name	CAS no.		EC no.
1	ethanediol	107-21-1		203-473-3
LD5	0		9530	mg/kg bodyweight
Spe	cies	rabbit		
Sou	rce	Manufacturer		
Acute inhalational toxicity No data available				
Skin corrosion/irritation				
No c	No data available			
Serious eye damage/irritation				
No data available				
Respiratory or skin sensitisation				
No data available				



Current version : 3.0.0, issued: 30.04.2020

Replaced version: 2.0.0, issued: 27.10.2015

Germ cell mutagenicity	
No data available	
Reproduction toxicity	
No data available	
Carcinogenicity	
No data available	
STOT - single exposure	
No data available	
STOT - repeated exposure	
No data available	
Aspiration hazard	
No data available	

Delayed and immediate effects as well as chronic effects from short and long-term exposure Repeated and prolonged skin contact may cause removal of natural fat from the skin and irritation of the skin. Eye contact with the product may lead to irritation.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)				
No	Substance name	CAS no.	EC no.	
1	ethanol	64-17-5	200-578-6	
LC5		815	50 mg/l	
	ation of exposure	96	h	
Species		Leuciscus idus		
Sou	rce	Manufacturer		
Tox	icity to fish (chronic)			
	lata available			
	icity to Daphnia (acute)	010	50.0	
	Substance name	CAS no.	EC no.	
1	ethanol	64-17-5	200-578-6	
EC5		9268 - 142		
Duration of exposure		48	h	
Species		Daphnia magna		
Sou	rce	Manufacturer		
Tox	icity to Daphnia (chronic)			
	data available			
Tor	icity to algae (acute)			
	data available			
NO C				
Toxicity to algae (chronic)				
No data available				
Bac	teria toxicity			
Dau				

12.2 Persistence and degradability

Biodegradability			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
Value			%
Source		Manufacturer	
Evaluation		readily biodegradable	



Current version : 3.0.0, issued: 30.04.2020

Replaced version: 2.0.0, issued: 27.10.2015

Region: GB

12.3 Bioaccumulative potential No data available.

- **12.4 Mobility in soil** No data available.
- **12.5 Results of PBT and vPvB assessment** No data available.
- **12.6 Other adverse effects** No data available.

12.7 Other information

Other information

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.

14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

14.4 Other information No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

- **14.6** Special precautions for user No data available.
- 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain



Current version : 3.0.0, issued: 30.04.2020

Replaced version: 2.0.0, issued: 27.10.2015

Region: GB

substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

 Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES

 The product is considered being subject to REACH regulation (EC) 1907/2006 annexe
 No 3

 XVII.
 No 3

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances This product is not subject to Part 1 or 2 of Annex I.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case. EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EU

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations apporting to ADD PID IMPC IATA as amended in each case

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

300010113/	
EUH071	Corrosive to the respiratory tract.
H225	Highly flammable liquid and vapour.
H228	Flammable solid.
H261	In contact with water releases flammable gases.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

1*21*

This substance may be marketed in a form which does not have the physical hazards as indicated by the classification in the entry in Part 3. If the results of the relevant method or methods in accordance with Part 2 of Annex I of this Regulation show that the specific form of substance marketed does not exhibit this physical property or these physical hazards, the substance shall be classified in accordance with the result or results of this test or these tests. Relevant information, including reference to the relevant test method(s) shall be included in the safety data sheet.

Department issuing safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.



Current version : 3.0.0, issued: 30.04.2020

Replaced version: 2.0.0, issued: 27.10.2015

Region: GB

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 29723