# **SIEMENS**

## Data sheet

# 8MF2298-5E

standard cabinet 8MF2 HxWxD=2200x 900x 800 Installation: single non-ventilated, assembled, welded IP54,



Figure similar

Model		
Product brand name	SIVACON	
Product designation	standard system cubicle	
Type of installation	stand-alone installation	
Design of the surface	powder-coated	
Design of the product / EMC version	No	
Design of the control cabinet / PC design	No	
Design of the control cabinet / Console design	No	
Protection class		
Protection class IP	IP54	
Suitability for installation		
<ul> <li>for inch dimensions</li> </ul>	10-inch, 17-inch, 19-inch, 21-inch, 23-inch, 24-inch	
<ul> <li>for metric dimensions</li> </ul>	M8	
Suitability for use / for outside use	No	
Appearance		
RAL color number	RAL 7032	
Color	pebble grey	

Product component	
removable frame	No
<ul> <li>Ventilation door</li> </ul>	No
Mounting plate	No
• Rear door	No
• pitched roof	No
• Viewing door	No
<ul> <li>height-adjustable mounting plate</li> </ul>	No
Number of locking devices	1
Number of doors	1

Mechanical Design	
Height	2 200 mm
Width	900 mm
Depth	800 mm
Number of modular height units / for installation height	43
Mounting type	standing
Mounting type / 19-inch installation	Yes
Net weight	175 kg
Material	steel

### Certificates

Reference code		
• acc. to DIN EN 61346-2	U	
General Product Approv-	Declaration of Conform-	other
al	ity	
		Miscellaneous
FHI		
LIIL	EC Konf	

#### Further information

Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/lowvoltage/catalogs

Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8MF2298-5E

EG-Konf.

Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/en/ps/8MF2298-5E

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) http://www.automation.siemens.com/bilddb/cax\_en.aspx?mlfb=8MF2298-5E

CAx-Online-Generator http://www.siemens.com/cax

**Tender specifications** http://www.siemens.com/specifications