#### DEUTSCH | DEUTSCH 38999 Series III

TE Internal #: YDTS24Z25-19ANV001 Standard Circular Connectors, Cable-to-Panel, 19 Position, Sealable, Wire & Cable, Power, Panel Mount, Black Zinc Nickel, DEUTSCH 38999 Series III

View on TE.com >



Connectors > Circular Connectors > Standard Circular Connectors > Jam Nut: D38999, 25-19 Insert, Black Zinc Nickel Plating



Connector System: Cable-to-Panel Number of Positions: 19 Sealable: Yes Connector & Contact Terminates To: Wire & Cable Contact Current Rating (Max): 23 A

All Jam Nut: D38999, 25-19 Insert, Black Zinc Nickel Plating (60)

#### Features

#### **Product Type Features**

Product Type

#### Connector

Connector System	Cable-to-Panel
Sealable	Yes
Connector & Contact Terminates To	Wire & Cable
Circular Connector Type	Receptacle
Shell Type	Jam Nut Receptacle
Configuration Features	
Number of Positions	19
Number of Power Positions	19
Number of Signal Positions	0
Contacts Preloaded	No
Body Features	
Shell Plating Material	Black Zinc Nickel
Shell Base Material	Aluminum 6061-T6
Circular Connector Insulation Material Type	Hard Dielectric/Silicone
Hermetically Sealed	No

Standard Circular Connectors, Cable-to-Panel, 19 Position, Sealable, Wire & Cable, Power, Panel Mount, Black Zinc Nickel, DEUTSCH 38999 Series III



#### **Contact Features**

Contact Current Rating (Max)	23 A
Reverse Gender	No
Contact Layout Arrangement	25 – 19
Circular Connector Contact Type	Less Pin
Mechanical Attachment	
Connector Mounting Type	Panel Mount
Polarization Code	Ν
Mating Alignment Type	Keyed
Mating Retention	With
Housing Features	
Circular Connector Shell Size	25
Alignment Keyed	Clocking
Dimensions	
Wire Size	2.08 – 3.31 mm <sup>2</sup>
Usage Conditions	
Operating Temperature Range	-65 – 200 °C[-85 – 392 °F]

## Operation/Application

Circuit Application	Power
Shielded	Yes
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) SVHC > Threshold: Decamethylcyclopentasiloxane (D5) (5% in Insert Subassembly) Aticle Safe Usage Statements: Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Standard Circular Connectors, Cable-to-Panel, 19 Position, Sealable, Wire & Cable, Power, Panel Mount, Black Zinc Nickel, DEUTSCH 38999 Series III



Halogen Content

Solder Process Capability

Not Yet Reviewed for halogen content

Not reviewed for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**



PLUG ASSY

# Also in the Series | DEUTSCH 38999 Series III




## **Customers Also Bought**



Standard Circular Connectors, Cable-to-Panel, 19 Position, Sealable, Wire & Cable, Power, Panel Mount, Black Zinc Nickel, DEUTSCH 38999 Series III







TE Part #CS8624-000 BSTS-15X4FR/NM

### Documents

**Product Drawings RECP ASSY** 

English

Datasheets & Catalog Pages MIL-DTL-38999 Series III

English

#### DEUTSCH DTS Series Connectors for 38999 QRG

English